

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Change Note to Read:							
Westport River							
*Westport River, Western Branch Use only with local knowledge.							
17550	- Channel Buoy 1					Green can.	Private aid.
	*						4/04
*17550.1	- Channel Buoy 2					Red nun.	Private aid.
							4/04
*Add Note:							
*Westport River Channel Use only with local knowledge.							
17551.2	- Buoy 34					Red nun.	Private aid.
							4/04
*17551.4	- Buoy 36					Red nun.	Private aid.
							4/04
*17551.7	- Buoy 40					Red nun.	Private aid.
							4/04
*17553.65	- Buoy 62					Red nun.	Private aid.
							4/04
Larchmont Harbor (South Entrance)							
25730	<i>Hen and Chickens South Lighted Buoy 2</i> On south side of shoal.	40 54 12 N 73 44 24 W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
							*
							4/04
36335	- LIGHT W	40 29 08 N 74 14 28 W	FI W 4s	30	5	NR on skeleton tower.	
		*					4/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Headings:							
*Magothy River							
*Little Magothy River							
20090	- Daybeacon 8					TR on pile.	
							4/04
*20092	- Buoy 1LM	39 02 57 N 76 25 43 W				Green can.	Private aid.
							4/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*20092.01	- Buoy 2					Red nun.	Private aid.
							4/04
*20092.02	- Buoy 3					Green can.	Private aid.
							4/04
*20092.03	- Buoy 4					Red nun.	Private aid.
							4/04
*20092.04	- Buoy 5					Green can.	Private aid.
							4/04
*20092.05	- Buoy 6					Red nun.	Private aid.
							4/04
*20092.06	- Buoy 7					Green can.	Private aid.
							4/04
*20092.07	- Buoy 8					Red nun.	Private aid.
							4/04
*29453	Fort Macon Creek Buoy 2					Red nun.	
							4/04
30285	- Buoy 5						<i>Remove from list.</i>
							*
							4/04
*30447	- Buoy 9					Green can.	
							4/04
35140	Waretown Shellfish Buoy AA						<i>Remove from list.</i>
							*
							4/04
35145	Waretown Shellfish Buoy BB						<i>Remove from list.</i>
							*
							4/04
35150	Waretown Shellfish Buoy CC						<i>Remove from list.</i>
							*
							4/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
515 6030	<i>St. Simons Lighted Whistle Buoy STS</i>	31 02 49 N 81 14 25 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B (—•••).
							*
							4/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4615	- Lighted Buoy 13		Q G		3	Green.	
	*						4/04
	ST. SIMONS SOUND (Chart 11506)						
	St. Simons Sound						
6030 515	St. Simons Lighted Whistle Buoy STS	31 02 49 N 81 14 25 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B (—•••).
		*					4/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23535	UPPER MORGANS POINT INBOUND RANGE FRONT LIGHT	29 42 05 N 95 00 02 W	Q G	20	5	KRW on dolphin.	Visible all around; higher intensity on rangeline.
		*	*	*	*		4/04
23540	UPPER MORGANS POINT INBOUND RANGE REAR REAR LIGHT 234 yards, 312.6° from front light.		Iso G 6s	35		KRW on skeleton tower on piles.	Visible on range line only.
	*		*	*			* 4/04
23545	UPPER MORGANS POINT OUTBOUND RANGE FRONT LIGHT	29 41 00 N 94 58 45 W	Q R	20	5	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Ra ref.
		*		*	*		* 4/04
23550	UPPER MORGANS POINT OUTBOUND RANGE REAR LIGHT 154 yards, 132.6° from front light.		Iso R 6s	37		KRW on skeleton tower on pile platform.	Visible on range line only.
	*			*			* 4/04
24055	BAYTOWN BEND RANGE FRONT LIGHT	29 43 54 N 95 01 45 W	Q R	17	4	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
		*		*	*		* 4/04
24060	BAYTOWN BEND RANGE REAR LIGHT 200 yards, 319.0° from front light.		Iso R 6s	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Ra ref.
	*			*			* 4/04
36465	- Buoy 8						Remove from list.
							* 4/04
*36466	- Daybeacon 8 90 feet outside the channel limit.					TR on yellow triangle on pile.	Ra ref.
							4/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36475	- Buoy 10						<i>Remove from list.</i>
							* 4/04
36515	- Buoy 20						<i>Remove from list.</i>
							* 4/04
*36516	- Daybeacon 20 90 feet outside the channel limit.					TR on yellow triangle on pile.	Ra ref.
							4/04
36570	- Buoy 28						<i>Remove from list.</i>
							* 4/04
36585	- Buoy 32						<i>Remove from list.</i>
							* 4/04
*36586	- Daybeacon 32 90 feet outside the channel limit.					TR on yellow triangle on pile.	Ra ref.
							4/04
36595	- Buoy 34						<i>Remove from list.</i>
							* 4/04
36610	- Buoy 38						<i>Remove from list.</i>
							* 4/04
*36616	- Buoy 39A					Green can with yellow square.	
							4/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
103	Orange County Research Buoy						<i>Remove from list.</i>
							* 4/04
*181.6	NOAA Environmental Lighted Buoy EB 46069	33 39 04 N 120 11 58 W	FI (4) Y 20s			Yellow disk-shaped buoy.	
							4/04
2520	USC Lighted Research Buoy						<i>Remove from list.</i>
							* 4/04
12615	MESSNER UPPER RANGE FRONT LIGHT	45 51 17 N 119 39 59 W	Q R	14		KRB on pile structure.	Visible 4° each side of rangeline.
			*				4/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12620	MESSNER UPPER RANGE REAR LIGHT 300 yards, 210.3° from front light.		Iso R 6s	43		KRB on skeleton tower. 37	Visible 4° each side of rangeline.
			*				4/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.